First Hit Fwd Refs End of Result Set

Previous Doc Next Doc Go to Doc#

Generate Collection Print

L11: Entry 3 of 3

File: USPT

Dec 6, 2005

DOCUMENT-IDENTIFIER: US 6973378 B2

TITLE: In-vehicle control device communicatable with external communication system and in-vehicle LAN

Detailed Description Text (7):

The vehicular I/O module 4 communicates low speed data (slow data) with a control system LAN 21 installed in the vehicle. Furthermore, the vehicular I/O module 4 communicates high speed data (fast data) with an information system LAN 22 installed in the vehicle. The control system LAN 21 is formed by interconnecting various corresponding devices, such as various ECUs, which are involved in vehicle control operation. The information system LAN 22 is formed by interconnecting various corresponding devices, such as an automobile <u>navigation</u> system and a vehicular display device.

Detailed Description Text (48):

In addition to the <u>Bluetooth</u> communication device installation arrangement and/or the GPS receiver installation arrangement, the control module circuit board 13 can have a dedicated wireless LAN communication device installation arrangement, to which a wireless LAN communication device is installed, and/or a dedicated <u>DSRC</u> communication device installation arrangement, to which a DSRC communication device is installed.

CLAIMS:

2. The in-vehicle control device according to claim 1, wherein the control module has a control module circuit board that includes a <u>dedicated radio communication</u> device installation arrangement, which is adapted to receive and to operably connect with a radio communication device.

Previous Doc Next Doc Go to Doc#

Refine Search

Search Results -

Terms Documents
L9 and L10 3

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database

Database:

EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

11	







Refine Search

Search History

Set Name side by side	= -	Hit Count	Set Name result set	
DB=PC	GPB, USPT; PLUR=YES; OP=OR			
<u>L11</u>	19 and L10	3	<u>L11</u>	
<u>L10</u>	dedicated adj2 (radio adj communication)	44	<u>L10</u>	
<u>L9</u>	17 and L8	179	<u>L9</u>	
<u>L8</u>	navigation	72501	<u>L8</u>	
<u>L7</u>	15 same L6	395	<u>L7</u>	
<u>L6</u>	dsrc	529	<u>L6</u>	
<u>L5</u>	bluetooth or (short adj range)	44994	<u>L5</u>	
DB=USPT; $PLUR=YES$; $OP=OR$				
<u>L4</u>	proximity and L1	0	<u>L4</u>	
<u>L3</u>	proxinity and L1	0	<u>L3</u>	
<u>L2</u>	short and 11	0	<u>L2</u>	
<u>L1</u>	7130743.pn.	1	<u>L1</u>	

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms Documents
L8 and L9 17

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L10		Refine Search
	Recall Text	Interrupt

Search History

Set Name	Query	Hit Count	Set Name
side by side			result set
DB=PGPB, US	PT,USOC,EPAB,JPAB,DWPI,TDBD; PLU.	R = YES; $OP = OR$	
<u>L10</u>	18 and L9	17	<u>L10</u>
<u>L9</u>	day and time and week	234975	<u>L9</u>
<u>L8</u>	16 and L7	37	<u>L8</u>
<u>L7</u>	traffic adj information	13224	<u>L7</u>
<u>L6</u>	14 and L5	934	<u>L6</u>
<u>L5</u>	threshold adj value	212174	<u>L5</u>
<u>L4</u>	12 and L3	18989	<u>L4</u>
<u>L3</u>	frequen\$ or often	3498919	<u>L3</u>
<u>L2</u>	travel same pattern	40493	<u>L2</u>
<u>L1</u>	travel near pattern	1232	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	s Documents	
L7 and L19	12	

Database:

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database **EPO Abstracts Database**

JPO Abstracts Database **Derwent World Patents Index**


IBM Technical Disclosure Bulletins

Search:

20		A







Refine Search

Search History

Purge Queries DATE: Wednesday, March 07, 2007 Printable Copy Create Case

Set Name	Query	Hit Count	Set Name		
side by side			result set		
DB=PGPB, $USPT$, $USOC$, $EPAB$, $JPAB$, $DWPI$, $TDBD$; $PLUR=YES$; $OP=OR$					
<u>L20</u>	17 and L19	12	<u>L20</u>		
<u>L19</u>	117 and L18	74	<u>L19</u>		
<u>L18</u>	threshold	714319	<u>L18</u>		
<u>L17</u>	115 and L16	111	<u>L17</u>		
<u>L16</u>	frequency or "often"	3497045	<u>L16</u>		
<u>L15</u>	113 and L14	128	<u>L15</u>		
<u>L14</u>	predict\$	440160	<u>L14</u>		
<u>L13</u>	19 and L12	.174	<u>L13</u>		
<u>L12</u>	travel adj (pattern or history)	1093	<u>L12</u>		
<u>L11</u>	travel adj pattern	742	<u>L11</u>		
<u>L10</u>	18 and L9	17	<u>L10</u>		
<u>L9</u>	day and time and week	234975	<u>L9</u>		
<u>L8</u>	l6 and L7	37	<u>L8</u>		
<u>L7</u>	traffic adj information	13224	<u>L7</u>		
<u>L6</u>	l4 and L5	934	<u>L6</u>		
<u>L5</u>	threshold adj value	212174	<u>L5</u>		
<u>L4</u>	12 and L3	18989	<u>L4</u>		

<u>L3</u>	frequen\$ or often	3498919	<u>L3</u>
<u>L2</u>	travel same pattern	40493	<u>L2</u>
<u>L1</u>	travel near pattern	1232	<u>L1</u>

END OF SEARCH HISTORY